


Shipper
FONG TA TRADING CO., LTD.

Consignee
SHENZHEN ONETOUCH BUSINESS SERVICE LTD
F6, HONGCHANG PLAZA, NO.2001, SHENNAN ROAD EAST,
NANHU STREET, LUOHU DISTRICT, SHENZHEN, CHINA
TEL : 86 755 2294 5551 FAX : 86 755 2583 6094

Notify party (Complete name and address)
SAME AS CONSIGNEE



8132

Express Line Limited

BILL OF LADING

| | | |
|---------------------------------------|-----------------------------------|--|
| Place of Receipt KEELUNG, TAIWAN | Package for TAIPEI, TAIWAN | Excess Value Declaration Refer to Clause 6.4(1)(b)-(c) on reverse side |
| Vessel & Voy. No. WAN HAI 265 S255 | Port of Loading TAIPEI, TAIWAN | Inland Routing (for the Merchant's reference only) |
| Port of Discharge HONG KONG | Place of Delivery 黃埔烏冲 | Final Destination (for the Merchant's reference only) |

Particulars furnished by the Merchant

| Container No. And Seal No. Marking No. | Quantity and Kind of Packages | Description of Goods | Measurement (CBM) Gross Weight (KGS) |
|---|----------------------------------|--|---|
| N/M | 1X20' VVVV | SAID TO CONTAIN 972 PAL SHIPPER'S LOAD, COUNT & SEAL SUNISO BRAND LUBRICANT HS.CODE:2710.19.51.90.5 | 19,586.00(KGS) |
| IAAU2680663/20'/IAAD310585/19,586.00KGS/972 PAL/FCL-FCL ORIGINAL NUMBER OF CONTAINERS OR PACKAGES (IN WORDS) "FREIGHT PREPAID" SVC TYPE:FCL-FCL SAY TOTAL ONE (1) TWENTY FEET CONTAINER ONLY | | | |

| | | | | |
|------------------------------------|--------------|------|------------------------------|---------|
| Freight & Charges OCEAN FREIGHT | Revanat Exts | Rate | Prepaid AS ARRANGED | Collect |
| | | | SURRENDERED IN TAIWAN | |

| | | | |
|-------------------------|------------------------------------|------------------------------|------------|
| Service Type FCL-FCL | Exchange Rate US\$1=NT\$31.2400 | Prepaid at TAIPEI, TAIWAN | Payable at |
|-------------------------|------------------------------------|------------------------------|------------|

RECEIVED by the Carrier the Goods as specified above in apparent good order and condition unless otherwise stated, to be transported to such place as agreed, authorized or permitted herein and subject to all the terms and conditions appearing on the front and reverse of this Bill of Lading to which the Merchant agrees by accepting the Bill of Lading, any local privileges and customs notwithstanding.

The particulars given above as stated by the shipper and the weight, measure, quantity condition contents and value of the Goods are unknown to the carrier.

In WITNESS whereof three original Bills of Lading has been signed if not otherwise stated before one of which to be completed the others to be void. If required by the Carrier three original Bills of Lading must be surrendered duly endorsed in exchange for the Goods or delivery order.

| | |
|-------------------------------------|--|
| Number of Original B/L THREE (3) | Date of Issuance TAIPEI, TAIWAN FEB. 15, 2017 |
| WT. No. EHUA170214009 | Loaded on Board the Vessel FEB. 15, 2017 |

OL EXPRESS LINE LIMITED

For delivery of goods please apply to:
ORIENTAL LOGISTICS GROUP LTD. GUANGZHOU BRANCH
RM1801-1802, RUIXING BLDG, 350 DONGFENGZHONG RD,
YUEXIU DISTRICT, GUANGZHOU, CHINA T:86-20-83484015
F:86-20-83484025 PIC:ALBEE ZHANG

COPY NON-NEGOTIABLE

By _____
AS CARRIER



旺旺友聯產物保險股份有限公司 Union Insurance Co., Ltd.

HEAD OFFICE: 12th FL, 219, Sec. 4, Chung-Hsiao E. Road, Taipei, Taiwan, R.O.C.

Taipei Tel: 886(02)27765567 Fax: 886(02)27772443

有關本公司公開資訊，請見本公司網址: www.wunion.com 免費申訴電話 0800-024-024

本商品經本公司合格簽署人員檢視其內容業已符合保險精算原則及保險法令，惟為確保權益，基於保險業與消費者衡平對等原則，消費者仍應詳加閱讀保險單條款與相關文件，審慎選擇保險商品。本商品如有虛偽不實或違法情事，應由本公司及負責人依法負責。
96.08.31(96)友總海字0879號備查
96.12.25(96)友總企字第1410號函查修訂

POLICY NO. 12000F140-A00323

MARINE CARGO POLICY

Claim, if any, payable in **U.S. DOLLARS**
at HANGZHOU

ASSURED **FONG TA TRADING CO., LTD.**

and report immediately to
M&W Int'l Surveyors Ltd.
2nd Floor, Blossom Building,
No. 88 Zhenxing Road, Zhang Mutou,
Dong Guan, Guang Dong.
Tel: (86) 1380-276-6839 Attn: Mr. Lam
Fax: (86) 20-8750-3297
E-Mail: mcw@mchwk.com

Amount insured **USD 57,736.80**
U.S. DOLLARS FIFTY SEVEN THOUSAND SEVEN HUNDRED THIRTY SIX AND CENTS EIGHTY ONLY.

Ship or Vessel **WAN HAI 265**
V S255
Sailing on or about **FEB 15 2017**

From **KEELUNG, TAIWAN**
To **HUANGPEI, GD**
Transhipped at
Into

SUBJECT-MATTER INSURED
"SUNISO" BRAND LUBRICANT,
TOTAL: 972 PALLS (1X20' CONTAINER)
INVOICE NO. KOT00010

(Warranted shipped under deck unless otherwise specified or containerized shipment)
(Warranted all brand new unless otherwise specified)

Conditions
Subject to the following clauses as per back hereof:
Institute Extended Radioactive Contamination Exclusion Clause
Institute Replacement Clause (Applying to Machinery)
Cargo ISM Endorsement

INSTITUTE CARGO CLAUSES (A)
INSTITUTE WAR CLAUSES (CARGO)
INSTITUTE STRIKES CLAUSES (CARGO)
TERMINATION OF TRANSIT CLAUSE (TERRORISM)
COMPUTER MILLENNIUM CLAUSE (CARGO)
-WITH NAMED PERIL EXTENSION (JC 08/024)
COVERING FROM SELLER'S WAREHOUSE TO BUYER'S WAREHOUSE
INCLUDING LOADING AND UNLOADING RISKS

Marks and Numbers as per Invoice No. specified above.

Valued at the same as Amount insured. **4631**

Place and Date signed in **TAIPEI**
on **FEB 08, 2017**

Number of Policies issued in **DUPLICATE**

The Assured is requested to read this policy and if it is incorrect return it immediately for alteration.

INSTITUTE REPLACEMENT CLAUSE (applying to machinery)
In the event of loss of or damage to any part or parts of an insured machine caused by a peril covered by the Policy the sum recoverable shall not exceed the cost of replacement or repair of such part or parts plus charges for forwarding and refitting, if incurred, but excluding duty unless the full duty is included in the amount insured, in which case loss, if any, sustained by payment of additional duty shall also be recoverable.
Provided always that in no case shall the liability of Underwriters exceed the insured value of the complete machine.

LABEL CLAUSE (applying to labeled goods)
In case of damage from perils insured against affecting labels only, loss to be limited to an amount sufficient to pay the cost of reconditioning, cost of new labels and relabeling the goods.

CO-INSURANCE CLAUSE (applicable in case of Co-insurance)
It is hereby understood and agreed that this Policy is issued by UNION INSURANCE CO., LTD. on behalf of the co-insurers who, each for itself and not one for the others, are separately and independently liable for their respective subscriptions specified in the policy.

Notwithstanding anything contained herein or attached hereto to the contrary, this insurance is understood and agreed to be subject to English law and practice only as to liability for and settlement of any and all claims.
This insurance does not cover any loss or damage to the property which at the time of the happening of such loss or damage is insured by or would but for the existence of this Policy be insured by any fire or other insurance Policy or policies except in respect of any excess beyond the amount which would have been payable under the fire or other insurance policy or policies had this insurance not been effected.

We, UNION INSURANCE CO., LTD. hereby agree, in consideration of the payment to us by or on behalf of the Assured of the premium as arranged, to insure against loss damage liability or expense to the extent and in the manner herein provided.

In witness whereof, I the under signed of UNION INSURANCE CO., LTD. on behalf of the said Company have subscribed My Name in the place specified as above to the policies, the issued numbers thereof being specified as above, of the same tenor and date, one of which being accomplished, the others to be void, as of the date specified as above
FOR UNION INSURANCE CO., LTD.

IMPORTANT PROCEDURE IN THE EVENT OF LOSS OR DAMAGE FOR WHICH UNDERWRITERS MAY BE LIABLE
LIABILITY OF CARRIERS BAILEES OR OTHER THIRD PARTIES
It is the duty of the Assured and their Agents, in all cases, to take such measures as may be reasonable for the purpose of averting or minimizing a loss and to ensure that all rights against Carriers, Bailees or other third parties are properly preserved and exercised. In particular, the Assured or their Agents are required:-
1. To claim immediately on the Carriers, Port Authorities or other Bailees for any missing packages.
2. In no circumstances, except under written protest, to give clean receipts where goods are in doubtful condition.
3. When delivery is made by Container, to ensure that the Container and its seals are examined immediately by their responsibly official. If the container is delivered damaged or with seals broken or missing or with seals other than as stated in the shipping documents, to clause the delivery receipt accordingly and retain all defective or irregular seals for subsequent identification.
4. To apply immediately for survey by Carriers' or other Bailees' Representatives if any loss or damage be apparent and claim on the Carriers or other Bailees for any actual loss or damage found at such survey.
5. To give notice in writing to the Carriers or other Bailees within 3 days of delivery if the loss or damage was not apparent at the time of taking delivery.
NOTE: The Consignees, or their Agents are recommended to make themselves familiar with the Regulations of the Port Authorities at the port of discharge.

INSTRUCTIONS FOR SURVEY
In the event of loss or damage which may involve a claim under the insurance, no claim shall be paid unless immediate notice of such loss or damage has been given to a Survey Report obtained from this Company's Office or Agents specified in this policy.

DOCUMENTATION OF CLAIMS
To enable claims to be dealt with promptly the Assured and their Agents are advised to submit all available supporting documents without delay including when available:
1. Original policy or certificate of insurance.
2. Original or certified copy of shipping invoices, together with shipping specification and/or weight notes.
3. Original or certified copy of Bill of Lading and/or other contract of carriage.
4. Survey report or other documentary evidence to show the extent of the loss or damage.
5. Landing document and weight notes at port of discharge and final destination.
6. Correspondence exchanged with the Carriers and other parties regarding their liability for the loss or damage.

Not valid unless Countersigned by **SIGNED**
Marine Insurance Underwriting Dept.

0422910

消費者應詳閱各類銷售文件內容，如要詳細了解其相關資訊，請洽本公司業務人員，服務電話(含傳真)：0800-024-024 或上網(網址: www.wunion.com)，以維護您的權益。

Marlong Hung
President



Fong Ta Trading Co., Ltd.

豐達貿易股份有限公司

33353 桃園縣龜山鄉振興路 229 巷 37 弄 10 號

No. 10, Alley 37, Lane 229, Zherxing Rd., Guishan Shiang, Taoyuan County 33353 Taiwan

TEL: 886-3-320-9311 FAX: 886-3-320-9301 Website: www.fongta.com.tw

COMMERCIAL INVOICE

NO. KOT00010

DATE: 9-Feb-2017

SOLD TO : SHENZHEN ONETOUCH BUSINESS SERVICE LTD

F6, Hongchang Plaza, No.2001,Shennan Road East,
Nanhu Street, Luohu District, Shenzhen, China
TEL : 86-755-2294 5551 FAX : 86-755-2583 6094

TERMS OF PAYMENT : T/T REMITTANCE IN ADVANCE

ORDER NO. : YJSM-0-161215

SHIPPED PER : WAN HAI 265 V. S255

SAILING ON/ABOUT : FEBRAUARY 15, 2017

PORT OF SHIPMENT : KEELUNG, TAIWAN

PORT OF DISCHARGE: HUANGPU, GD

COUNTRY OF ORIGIN : JAPAN

| DESCRIPTION | QUANTITY | UNIT PRICE | AMOUNT |
|--------------------------|--------------|------------|-----------|
| "SUNISO" BRAND LUBRICANT | | (In USD) | |
| SUNISO 3GS | 100 PAIL (S) | 54.00 | 5,400.00 |
| SUNISO 4GS | 100 PAIL (S) | 54.00 | 5,400.00 |
| SUNISO 3GSD | 32 PAIL (S) | 54.00 | 1,728.00 |
| SUNISO 4GSD | 240 PAIL (S) | 54.00 | 12,960.00 |
| SUNISO 5GSD | 200 PAIL (S) | 54.00 | 10,800.00 |
| SUNISO 5GS | 300 PAIL (S) | 54.00 | 16,200.00 |
| TOTAL: | 972 PAIL (S) | | |
| | CIF HUANGPU | US\$ | 52,488.00 |


SHIPPING MARKS : NO MARKS

PACKAGE : 20L STEEL PAIL CANS.

※ OUR BANK REFERENCE: YUANTA COMMERCIAL BANK CO., LTD.

A/C NO. 1010280001347

SWIFT CODE : APBKTWTH



FONG TA TRADING CO., LTD.

Lin Huichen
Lin, Huichen



Fong Ta Trading Co., Ltd.

豐達貿易股份有限公司

33353 桃園縣龜山鄉振興路 229 巷 37 弄 10 號

No. 10, Alley 37, Lane 229, Zhenxing Rd., Guishan Shiang, Taoyuan County 33353 Taiwan

TEL: 886-3-320-9311 FAX: 886-3-320-9301 Website: www.fongta.com.tw

PACKING LIST

NO. KOT00010

DATE: 9-Feb-2017

SOLD TO : SHENZHEN ONETOUCH BUSINESS SERVICE LTD

ORDER NO. : YJSM-0-161215

SHIPPED PER : WAN HAI 265 V. S255

SAILING ON/ABOUT : FEBRAUARY 15, 2017

PORT OF SHIPMENT : KEELUNG, TAIWAN


PORT OF DISCHARGE: HUANGPU, GD

| DESCRIPTION | QUANTITY | NET WEIGHT | GROSS WEIGHT |
|---------------------------------|---------------------|-----------------|-----------------|
| | | KGS | KGS |
| "SUNISO" BRAND LUBRICANT | | | |
| SUNISO 3GS | 100 PAIL (S) | 1,818.4 | 1,995.5 |
| SUNISO 4GS | 100 PAIL (S) | 1,840.8 | 2,017.9 |
| SUNISO 3GSD | 32 PAIL (S) | 581.9 | 638.6 |
| SUNISO 4GSD | 240 PAIL (S) | 4,417.0 | 4,841.8 |
| SUNISO 5GSD | 200 PAIL (S) | 3,704.0 | 4,058.0 |
| SUNISO 5GS | 300 PAIL (S) | 5,503.2 | 6,034.2 |
| TOTAL: | 972 PAIL (S) | 17,865.3 | 19,586.0 |

SHIPPING MARKS : NO MARKS

PACKAGE : 20L STEEL PAIL CANS.

FONG TA TRADING CO., LTD.



Lin Huichen
Lin, Huichen

Trusty Kojimachi Bldg.
3-4 Kojimachi Chiyoda-ku
Tokyo 102-0083 Japan
TEL:+81-3-3238-0235
FAX:+81-3-3237-1028
www.sunoco.co.jp

CERTIFICATE OF ANALYSIS


No.
To : FONG TA TRADING CO., LTD.
Re ORDER NO. SFE-002(KOT00010)
Grade : SUNISO 3GS

Date : Jan. 31. 2017

Lot No. : 170120136
Package: 20L Pail Can
Quantity: 100

| | | |
|---------------------------|--------------------|--------|
| Density [15°C] | g/cm ³ | 0.9081 |
| Color [ASTM] | | L0.5 |
| Flash Point | °C | 178 |
| Pour Point | °C | -40 |
| Floc Point | °C | -51 |
| Viscosity [40°C] | mm ² /S | 29.26 |
| Viscosity [100°C] | mm ² /S | 4.437 |
| Cu Corrosion [100°C × 3h] | | 1a |
| Total Acid No. | mgKOH/g | 0.01 |
| Water Content | ppm | 2.0 |
| Dielectric Strength | kV | 55 |

Certified by : JAPAN SUN OIL COMPANY, LTD.



H. HIRANO

Quality Control Department

Trusty Kojimachi Bldg.
3-4 Kojimachi Chiyoda-ku
Tokyo 102-0083 Japan
TEL:+81-3-3238-0235
FAX:+81-3-3237-1028
www.sunoco.co.jp

CERTIFICATE OF ANALYSIS

No.
To : FONG TA TRADING CO.,LTD.
Re ORDER NO. SFE-002(KOT00010)
Grade : SUNISO 4GS


Date : Jan.31.2017

Lot No. : 170123134
Package: 20L Pail Can
Quantity: 100

| | | |
|-------------------------|--------------------|--------|
| Density [15°C] | g/cm ³ | 0.9195 |
| Color [ASTM] | | L1.0 |
| Flash Point | °C | 188 |
| Pour Point | °C | -35 |
| Floc Point | °C | -45 |
| Viscosity [40°C] | mm ² /S | 55.39 |
| Viscosity [100°C] | mm ² /S | 6.091 |
| Cu Corrosion [100°C×3h] | | 1a |
| Total Acid No. | mgKOH/g | 0.01 |
| Water Content | ppm | 1.4 |
| Dielectric Strength | kV | 50 |

WWW.CRRchina.com
4000-020-410

Certified by : JAPAN SUN OIL COMPANY, LTD.



H. HIRANO

Quality Control Department

CERTIFICATE OF ANALYSIS

No. :
To : FONG TA TRADING CO.,LTD.
Re : ORDER NO. SFE-002(KOT00010)
Grade : SUNISO 3GSD

Date : Jan.31.2017

Lot No. : 170124234
Package: 20L Pail Can
Quantity: 32

| | | |
|-------------------------|--------------------|--------|
| Density [15°C] | g/cm ³ | 0.9081 |
| Color [ASTM] | | L0.5 |
| Flash Point | °C | 178 |
| Pour Point | °C | -40 |
| Floc Point | °C | -51 |
| Viscosity [40°C] | mm ² /S | 29.26 |
| Viscosity [100°C] | mm ² /S | 4.435 |
| Cu Corrosion [100°C×3h] | | 1a |
| Total Acid No. | mgKOH/g | 0.01 |
| Water Content | ppm | 1.4 |
| Dielectric Strength | kV | 55 |
| Foaming Tend/Stab. I | ml | 10-0 |
| Foaming Tend/Stab. II | ml | 10-0 |
| Foaming Tend/Stab. III | ml | 10-0 |

Certified by JAPAN SUN OIL COMPANY, LTD.



H. HIRANO
Quality Control Department

Trusty Kojimachi Bldg.
 3-4 Kojimachi Chiyoda-ku
 Tokyo 102-0083 Japan
 TEL:+81-3-3238-0235
 FAX:+81-3-3237-1028
 www.sunoco.co.jp


CERTIFICATE OF ANALYSIS

No. Date : Jan. 31. 2017
 To : FONG TA TRADING CO., LTD.
 Re ORDER NO. SFE-002(KOT00010)
 Grade : SUNISO 4GSD

Lot No. : 170120134
 Package: 20L Pail Can
 Quantity: 240

| | | | |
|---------------------------|--------------------|------------|--------|
| Density [15°C] | g/cm ³ | JIS K 2249 | 0.9195 |
| Color [ASTM] | | JIS K 2580 | L1.0 |
| Flash Point | °C | JIS K 2265 | 188 |
| Pour Point | °C | JIS K 2269 | -35 |
| Floc Point | °C | JIS K 2211 | -45 |
| Viscosity [40°C] | mm ² /S | JIS K 2283 | 54.93 |
| Viscosity [100°C] | mm ² /S | JIS K 2283 | 6.083 |
| Cu Corrosion [100°C × 3h] | | JIS K 2513 | 1a |
| Total Acid No. | mgKOH/g | JIS K 2501 | 0.01 |
| Water Content | ppm | JIS K 2275 | 2.1 |
| Dielectric Strength | kV | JIS C 2101 | 50 |
| Foaming Tend/Stab, I | ml | JIS K 2518 | 10-0 |
| Foaming Tend/Stab, II | ml | JIS K 2518 | 10-0 |
| Foaming Tend/Stab, III | ml | JIS K 2518 | 10-0 |

Certified by : JAPAN SUN OIL COMPANY, LTD.



H. HIRANO

Quality Control Department

Trusty Kojimachi Bldg.
3-4 Kojimachi Chiyoda-ku
Tokyo 102-0083 Japan
TEL:+81-3-3238-0235
FAX:+81-3-3237-1028
www.sunoco.co.jp


CERTIFICATE OF ANALYSIS

No. _____ Date : Jan. 31. 2017
 To : FONG TA TRADING CO., LTD.
 Re ORDER NO. SFE-002(KOT00010)
 Grade : SUNISO 5GSD

Lot No. : 170124136
 Package: 20L Pail Can
 Quantity: 200

| | | | |
|---------------------------|--------------------|------------|--------|
| Density [15°C] | g/cm ³ | JIS K 2249 | 0.9162 |
| Color [ASTM] | | JIS K 2580 | L1.0 |
| Flash Point | °C | JIS K 2265 | 218 |
| Pour Point | °C | JIS K 2269 | -27.5 |
| Floc Point | °C | JIS K 2211 | -37 |
| Viscosity [40°C] | mm ² /S | JIS K 2283 | 97.11 |
| Viscosity [100°C] | mm ² /S | JIS K 2283 | 8.577 |
| Cu Corrosion [100°C × 3h] | | JIS K 2513 | 1a |
| Total Acid No. | mgKOH/g | JIS K 2501 | 0.01 |
| Water Content | ppm | JIS K 2275 | 1.9 |
| Dielectric Strength | kV | JIS C 2101 | 45 |
| Foaming Tend/Stab. I | ml | JIS K 2518 | 10-0 |
| Foaming Tend/Stab. II | ml | JIS K 2518 | 10-0 |
| Foaming Tend/Stab. III | ml | JIS K 2518 | 10-0 |

Certified by : JAPAN SUN OIL COMPANY, LTD.



H. HIRANO

Quality Control Department


Trusty Kojimachi Bldg.
3-4 Kojimachi Chiyoda-ku
Tokyo 102-0083 Japan
TEL:+81-3-3238-0235
FAX:+81-3-3237-1028
www.sunoco.co.jp

CERTIFICATE OF ANALYSIS

No. _____ Date : Jan. 31. 2017
To : FONG TA TRADING CO., LTD.
Re ORDER NO. SFE-002 (KOT00010)
Grade : SUNISO 5GS

Lot No. : 170127134
Package: 20L Pail Can
Quantity: 300

| | | |
|---------------------------|--------------------|--------|
| Density [15°C] | g/cm ³ | 0.9151 |
| Color [ASTM] | | 1.1.0 |
| Flash Point | °C | 222 |
| Pour Point | °C | -30 |
| Floc Point | °C | -37 |
| Viscosity [40°C] | mm ² /S | 98.36 |
| Viscosity [100°C] | mm ² /S | 8.659 |
| Cu Corrosion [100°C × 3h] | | 1a |
| Total Acid No. | mgKOH/g | 0.01 |
| Water Content | ppm | 1.4 |
| Dielectric Strength | kV | 45 |



Certified by : JAPAN SUN OIL COMPANY, LTD.

H. HIRANO

Quality Control Department